
Meridian 1

Meridian Data Services

Description

Document Number: 553-2731-100

Document Release: Standard 4.0

Date: December 1994

© 1990, 1994

All rights reserved

Printed in the United States of America

Information is subject to change without notice. Northern Telecom reserves the right to make changes in design or components as progress in engineering and manufacturing may warrant. This equipment has been tested and found to comply with the limits for a Class A digital device pursuant to Part 15 of the FCC rules.

SL-1 and Meridian 1 are trademarks of Northern Telecom.

Revision history

August 10, 1990

Standard, release 1.0. Reissued for compliance with Northern Telecom standard 164.0.

December 31, 1992

Standard, release 2.0. Reissued to include updates for X11 release 18. Due to the extent of the changes, revision bars are omitted.

August 1, 1993

Standard, release 3.0. Reissued to include changes for X11 release 19.

December 1994

Standard, release 4.0. Reissued to include editorial changes and indexing. Due to the extent of the changes, revision bars are not used.

Contents

General information	1
References	1
Introduction	3
Basic data call configuration	3
Automated Modem Pooling	4
Capabilities	10
Hardware	11
Equipment description	13
Add-on Data Module	13
QMT7 ADM	14
User controls, indicators, and settings	16
Configurations	16
Operating Distances	17
Miscellaneous	17
QMT8 SADM	22
QMT12 ADM	22
Data Line Card	23
4-Port Data Line Card	24
Modem Pool Line Card	24
Supplementary power unit	25
RS-232 cord assemblies (NE-25MQ2A)	25
Modem pool cable (QCAD5A)	25
QMT9 AIM	25
Controls and indicators	26
Configuration	27

Asynchronous Interface Line Card	27
Operating characteristics	28
QMT11 ASIM	28
Controls and indicators	30
Configuration	31
PC Interface Card	32
Protocol Converters	32
Multi-Channel Data System	34
Asynchronous Card	35
MCDS Power Supply	36
Spectron Patch Panel	36
X.25 Gateway	36
Configurations	37
Features and services	41
Automatic Dialing	41
Call Forward All Calls	42
Call Forward—internal calls	42
Ring Again	42
Speed Call	43
User Selectable Call Redirection	43
Automatic Set Relocation	43
Automatic Route Selection	43
Call Detail Recording	44
Hunting—Computer Ports and Modem Pool (See Dataport Hunting)	44
Dataport Hunting	45
Digital Trunk Interface	46
Computer/PBX Interface (CPI)	46
Remote Peripheral Equipment	47
Outbound Modem Pooling (not AMP)	47
Inbound Modem Pooling	48
Dedicated modems	49
Automated Modem Pooling	50
Outbound AMP	50
Inbound AMP	51
Keyboard dialing	51

Keypad dialing	52
Synchronous Data Switching	52
Hotline	52
Transparent Data Networking	53
Meridian Communications Unit	54
Implementation	55
Allowable operating distances	55
Single wire gauge	55
Mixed wire gauge	56
AIM	56
Cable specifications	57
Modem pool configuration	57
Hardware requirements	57
ADM	58
AIM	58
ASIM	58
Power supply	58
DLC	59
AILC	59
Modem Pool Line Card (asynchronous outbound only)	59
Multi-Channel Data System	60
Traffic measurements	61
Memory and real time requirements	61
Maintenance and testing	61
Administration	62

List of figures

Figure 1	
Terminal to Terminal Data Call configuration	5
Figure 2	
Terminal to Terminal Computer Port Data Call configuration	6
Figure 3	
Terminal to Remote Device Data Call configuration	7
Figure 4	
Remote Terminal to Local Device Data Call configuration	8
Figure 5	
Overview of Meridian 1 Data Applications	9
Figure 6	
Typical Multi-Channel Data System	38
Figure 7	
ADM Controls and Indicators	39

List of tables

Table 1	
ADM controls and indicators	18
Table 2	
ADM user option selectors	19
Table 3	
MCDS indicators and switches	35